

| | Type | L # | Hits | Search Text | DBs |
|---|------|-----|--------|--|--|
| 1 | IS&R | L1 | 1 | ("5039981").PN. | US- PGPUB; USPAT |
| 2 | IS&R | L2 | 2069 | ((340/551) or (340/540) or (340/657) or (324/228)).CCLS. | US- PGPUB; USPAT |
| 3 | BRS | L3 | 53096 | (electromagnetic or electro magnetic) near3 field | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 4 | BRS | L4 | 94912 | metal with (detect or detecting or detected or detection or detector or sensor or sensing or sensed or sense) | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 5 | BRS | L5 | 890612 | leg or foot or feet | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 6 | BRS | L6 | 887 | 4 same 5 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |

| | Time Stamp | Comments | Error Definition | Errors |
|----------|-----------------------------|-----------------|-------------------------|---------------|
| 1 | 2004/12/12 18:58 | | | |
| 2 | 2004/12/12 18:58 | | | |
| 3 | 2004/12/12 20:04 | | | |
| 4 | 2004/12/12 19:58 | | | |
| 5 | 2004/12/12 19:01 | | | |
| 6 | 2004/12/12 19:01 | | | |

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|------|--|--|
| 7 | BRS | L7 | 66 | 3 and 6 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 8 | BRS | L8 | 9925 | (electromagnetic or electro magnetic) with (shield or shielding or screen) same (interference or noise) | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 9 | BRS | L9 | 5 | 7 and 8 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 10 | BRS | L10 | 24 | 3 same 4 and 8 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 11 | BRS | L11 | 627 | 3 same 4 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |

| | Time Stamp | Comments | Error Definition | Errors |
|-----------|-----------------------------|-----------------|-------------------------|---------------|
| 7 | 2004/12/12 19:01 | | | |
| 8 | 2004/12/12 19:02 | | | |
| 9 | 2004/12/12 19:02 | | | |
| 10 | 2004/12/12 19:12 | | | |
| 11 | 2004/12/12 19:12 | | | |

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|-------|--|--|
| 12 | BRS | L12 | 36 | 11 and 2 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 13 | BRS | L13 | 97940 | (metal or weapon) with (detect or detecting or detected or detection or detector or sensor or sensing or sensed or sense) | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 14 | BRS | L14 | 9914 | 13 and 4 and 5 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 15 | BRS | L15 | 568 | 14 and security | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 16 | BRS | L16 | 540 | 13 and 3 and 5 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |

| | Time Stamp | Comments | Error Definition | Errors |
|-----------|-----------------------------|-----------------|-------------------------|---------------|
| 12 | 2004/12/12 19:12 | | | |
| 13 | 2004/12/12 19:58 | | | |
| 14 | 2004/12/12 19:59 | | | |
| 15 | 2004/12/12 19:59 | | | |
| 16 | 2004/12/12 19:59 | | | |

| | Type | L # | Hits | Search Text | DBs |
|----|------|-----|-------|---|--|
| 17 | BRS | L17 | 540 | 13 and 3 and 5 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 18 | BRS | L18 | 68 | 13 same 5 and 3 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 19 | BRS | L19 | 41058 | (electromagnetic or electro magnetic) near3 coil | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 20 | BRS | L20 | 313 | 13 same 19 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |
| 21 | BRS | L21 | 16 | 20 and 13 same 5 | US- PGPUB; USPAT; EPO; JPO; DERWE NT |

| | Time Stamp | Comments | Error Definition | Errors |
|-----------|-----------------------------|-----------------|-------------------------|---------------|
| 17 | 2004/12/12 20:00 | | | |
| 18 | 2004/12/12 20:00 | | | |
| 19 | 2004/12/12 20:04 | | | |
| 20 | 2004/12/12 20:04 | | | |
| 21 | 2004/12/12 20:05 | | | |